# Coupling effects on the probabilistic response of tanks and piping systems subject to seismic loading

### Oreste S. Bursi<sup>†</sup>, Giuseppe Abbiati<sup>\*</sup>, Luca Caracoglia<sup>~</sup> and Vincenzo La Salandra<sup>†</sup>

<sup>†</sup> Department of Civil, Environmental and Mechanical Engineering, University of Trento Via Mesiano 77, 38123, Trento, Italy oreste.bursi@unitn.it, URL: http://www.ing.unitn.it/~bursi/, vincenzo.lasalandra@unitn.it

\* Department of Civil, Environmental and Geomatic Engineering (D-BAUG), IBK, ETH Zurich Stefano-Franscini-Platz 5, 8093 Zürich, Switzerland e-mail: abbiati@ibk.baug.ethz.ch

 Department of Civil and Environmental Engineering, Northeastern University, 360 Huntington Avenue, Boston, Massachusetts, 02115 USA e-mail: lucac@coe.neu.edu

## INVITED SESSION: COUPLED PROBLEMS WITH NUMERICAL AND PHYSICAL SUBDOMAIN INTERACTIONS (CODE: #32)

### ABSTRACT

Usually, industrial plant components, such as tanks, pipe elbows, etc., are analyzed individually to assess their fragilities, i.e., various probabilities of failure conditional on the earthquake intensity measure (hazard demand). Individual fragility curves are then combined to obtain the seismic fragility curve of the overall system, even though this approach neglects coupling effects among different components. This may result in an approximate fragility curve, incapable of representing the actual behaviour of a system composed of a tank and multiple pipes. This paper is an extension of [1] and investigates the coupling effects in the fragility curves using various tank configurations and a reference piping system, whose performance was investigated in [2]. The objective of this work is to evaluate tank geometry effects on the dynamic properties of the piping system and the fragilities. As a first step, a simplified mass-spring model of typical industrial liquid storage tanks was attached in series onto a boundary branch of a piping system. Uncertainty in the coupling was simulated by considering, as a random variable, the geometric aspect ratio of the tanks, i.e., height-to-radius ratios. In order to provide a non-uniform, asymmetric and compact support distribution of the random aspect ratios, a modified version of the well-known beta distribution was formulated and employed. Afterwards, the resulting stochastic models were analyzed via Monte Carlo simulations by examining the random eigenproperties and autocovariance matrices of selected displacement outputs. Fully correlated and uncorrelated input excitation was considered. Most simulations were replicated, applying the stochastic collocation method [3], to investigate the optimal Lagrange polynomial size. Finally, this preliminary analysis was extended to a case study where interactions between a piping system and its components, e.g., realistic FE-based broad/slender tanks, were taken into account. Therefore, coupling/decoupling effects on the overall dynamic response (displacement and stresses) and fragility curves vs. hazard demand of the piping system were examined.

#### REFERENCES

- [1] Bursi, O. S., Abbiati, G., Caracoglia, L., Reza, M.S., "Effects of Uncertainties in Boundary Conditions on Dynamic Characteristics of Industrial Plant Components", Proceedings of the ASME 2014 Pressure Vessels & Piping Division Conference, PVP 2014, July 20-24, 2014, Anaheim, California.
- [2] Bursi O.S., Reza Md. S., Abbiati G., Paolacci F. Performance-based earthquake evaluation of a full-scale petrochemical piping system. International Journal of Loss Prevention in the Process Industries, 2014 In press.
- [3] Le Maître O. P., Knio O. M., Spectral methods for uncertainty quantification (with applications to fluid dynamics), Springer, Dordrecht, Heidelberg, London, New York, 2010.